

PLASTIČNI CENTRIFUGALNI VENTILATORI SA JEDNIM USISOM



Serijska CMP(B/T) (2)



Centrifugalni ventilatori sa jednim usisom, napravljeni su od čvrste polipropilenske plastike, a predviđeni su za izvlačenje korozivnih isparenja. Ventilaciono kolo je sa unapred zakrivljenim lopaticama od polipropilenske plastike.

Motori:

- Svi motori imaju zaštitu IP55, klase F.
- Zavisno od modela, dostupni su monofazni i trofazni motori sa 2, 4, 6 ili 8 polova.

Napajanje:

- Monofazno 230V-50Hz do 1,1kW.
- Trofazno 230/400V-50Hz.

Dodatne informacije:

- Nosači su napravljeni od:
- Najlona (modeli 14 do 25);
 - Polipropilena (modeli 30 i 35);
 - Galvanizovanog čelika (model 42).
- Osnovni položaj potisnog voda u kome se pravi ventilator je (LG 0). Svi ostali položaji se izrađuju na zahtev. Zavrtnji su od nerđajućeg čelika.

Na zahtev:


- Položaj RD (osim kod 14, 20A i 30A).
- Dvobrzinski motori.
- Verzija sa otvorom za konstantno ispuštanje priokupljenog kondenzata.

PRIMENA



Hemijske laboratorije

POLOŽAJI



Kod	Model	Brzina (o/min)	Veličina motora (mm)	Snaga motora (kW)	Maks.jacina struje [A]		Protok [m³/h]	Nivo buke [dB(A)]	Najniža temperatur a [°C]	Najviša ambijent a	Težina [kg]	Cena 1G
					230/1/5	400/3/5						
MONOFAZNI - 2 POLA												
5154002900	CMPB/2-14-0,18	2.900	63	0,18	1,53	-	730	60	-10	60	4,5	656,00
5154003000	CMPB/2-20-1,1	2.900	80	1,1	7,90	-	2.100	72	-10	60	13	921,00
5154003100	CMPB/2-20A-0,55	2.900	71	0,55	4,21	-	900	68	-10	60	11	911,00
MONOFAZNI - 4 POLA												
5154003200	CMPB/4-14-0,18	1.450	63	0,18	1,74	-	350	45	-10	60	4,5	676,00
5154003300	CMPB/4-20-0,18	1.450	63	0,18	1,74	-	1.220	60	-10	60	8	794,00
5154003900	CMPB/4-20A-0,18	1.450	63	0,18	1,74	-	530	54	-10	60	9	889,00
5154003400	CMPB/4-23-0,55	1.450	80	0,55	1,70	-	2.560	64	-10	60	15	1.165,00
5154003500	CMPB/4-24-0,55	1.450	80	0,55	1,70	-	2.400	61	-10	60	15	1.221,00
5154003600	CMPB/4-25-0,55	1.450	80	0,55	1,70	-	2.680	60	-10	60	15	1.221,00
5154004000	CMPB/4-25A-0,25	1.450	71	0,25	0,50	-	1.100	66	-10	60	10	1.092,00
5154003800	CMPB/4-25M-0,55	1.450	80	0,55	1,70	-	1.700	63	-10	60	15	1.201,00
5154003700	CMPB/4-30-1,1	1.450	90	1,1	7,00	-	4.240	69	-10	60	29	1.826,00
5154004100	CMPB/4-30A-0,55	1.450	80	0,55	1,70	-	2.060	68	-10	60	20	2.875,00
MONOFAZNI - 6 POLOVA												
5154004200	CMPB/6-20-0,18	950	71	0,18	1,60	-	850	51	-10	60	8	889,00
5154004300	CMPB/6-23-0,18	950	71	0,18	1,60	-	1.660	55	-10	60	13	1.189,00
5154004400	CMPB/6-24-0,18	950	71	0,18	1,60	-	1.630	52	-10	60	13	1.269,00
5154004500	CMPB/6-25-0,18	950	71	0,18	1,60	-	1.810	51	-10	60	13	1.269,00
5154004800	CMPB/6-25M-0,18	950	71	0,18	1,60	-	1.200	54	-10	60	13	1.225,00
5154004600	CMPB/6-30-0,37	950	80	0,37	2,70	-	2.760	60	-10	60	25	1.751,00
5154004700	CMPB/6-35-1,1	950	100	1,1	7,20	-	4.780	64	-10	60	42	2.435,00
TROFAZNI 2 POLA												
5154000000	CMPT/2-14-0,18	2.900	63	0,18	0,97	0,56	730	60	-10	60	4,5	660,00
5154000100	CMPT/2-20-1,1	2.900	80	1,1	4,33	2,50	2.100	72	-10	60	13	876,00
5154000500	CMPT/2-20A-0,55	2.900	71	0,55	2,23	1,29	900	68	-10	60	11	906,00
5154000200	CMPT/2-24-2,2	2.900	90	2,2	7,62	4,40	2.900	73	-10	60	26	1.374,00
5154000600	CMPT/2-25A-1,5	2.900	90	1,5	5,00	2,90	1.660	78	-10	60	17	1.197,00
5154000400	CMPT/2-25M-2,2	2.900	90	2,2	7,62	4,40	2.780	77	-10	60	26	1.329,00
5154000700	CMPT/2-30A-3	2.900	100	3	10,00	5,80	3.090	80	-10	60	34	3.070,00
TROFAZNI 4 POLA												
5154000800	CMPT/4-14-0,18	1.450	63	0,18	1,09	0,63	350	45	-10	60	4,5	669,00
5154000900	CMPT/4-20-0,18	1.450	63	0,18	1,09	0,63	1.220	60	-10	60	8	789,00
5154001800	CMPT/4-20A-0,18	1.450	63	0,18	1,09	0,63	530	54	-10	60	9	882,00
5154001000	CMPT/4-23-0,55	1.450	80	0,55	2,42	1,40	2.560	64	-10	60	15	1.145,00
5154001100	CMPT/4-24-0,55	1.450	80	0,55	2,42	1,40	2.400	61	-10	60	15	1.225,00
5154001200	CMPT/4-25-0,55	1.450	80	0,55	2,42	1,40	2.680	60	-10	60	15	1.225,00
5154001900	CMPT/4-25A-0,25	1.450	71	0,25	1,28	0,74	1.100	66	-10	60	10	1.082,00
5154001700	CMPT/4-25M-0,55	1.450	80	0,55	2,42	1,40	1.700	63	-10	60	15	1.180,00
5154001300	CMPT/4-30-1,1	1.450	90	1,1	4,16	2,40	4.240	69	-10	60	29	1.727,00
5154002000	CMPT/4-30A-0,55	1.450	80	0,55	2,42	1,40	2.060	68	-10	60	20	2.825,00
5154001400	CMPT/4-35-3	1.450	100	3	10,91	6,30	6.470	72	-10	60	48	2.484,00
5154001500	CMPT/4-42-5,5	1.450	132	5,5	-	11,1	8.500	75	-10	60	88	3.990,00
5154001600	CMPT/4-42-7,5	1.450	132	7,5	-	14,8	11.211	80	-10	60	102	4.197,00
5130965100	CMPT/4-50 50/135-7,5	1465	132	7,5	-	14,2	11.200	-	-10	60	130	7.373,00
5130965200	CMPT/4-50 50/135-11	1460	160	11	-	21,1	15.000	-	-10	60	170	8.083,00
5130965300	CMPT/4-50 55/145-11	1460	160	11	-	21,1	13.600	-	-10	60	170	8.083,00
5130965400	CMPT/4-50 55/145-15	1465	160	15	-	28,6	17.000	-	-10	60	190	8.461,00



Kod	Model	Brzina o/min	Veličina motora (mm)	Snaga motora (kW)	Maks.jacina struje [A]		Protok [m ³ /h]	Nivo buke [dB(A)]	Najniža temperatura [°C]	Najviša ambijenta	Težina [kg]	Cena 1G
					230/1/50	400/3/50						
TROFAZNI 6 POLOVA												
5154002100	CMPT/6-20-0,18	950	71	0,18	1,06	0,61	850	51	-10	60	8	854,00
5154002200	CMPT/6-23-0,18	950	71	0,18	1,06	0,61	1.660	55	-10	60	13	1.155,00
5154002300	CMPT/6-24-0,18	950	71	0,18	1,06	0,61	1.630	52	-10	60	13	1.234,00
5154002400	CMPT/6-25-0,18	950	71	0,18	1,06	0,61	1.810	51	-10	60	13	1.235,00
5154002800	CMPT/6-25M-0,18	950	71	0,18	1,06	0,61	1.200	54	-10	60	13	1.191,00
5154002500	CMPT/6-30-0,37	950	80	0,37	1,85	1,07	2.760	60	-10	60	25	1.717,00
5154002600	CMPT/6-35-1,1	950	90	1,1	5,20	3,00	4.780	64	-10	60	42	2.386,00
5154002700	CMPT/6-42-3	950	132	3	12,64	7,30	8.330	71	-10	60	88	3.994,00
5130965500	CMPT/6-50 50/135 2,2 (230/400V50HZ)	940	132	2,2	-	5,36	7.400	-	-10	60	105	7.086,00
5130965700	CMPT/6-50 50/135 3 (230/400V50HZ)	960	132	3	-	6,82	9.700	-	-10	60	116	7.239,00
5130965800	CMPT/6-50 55/145 3 (230/400V50HZ)	960	132	3	-	6,82	8.600	-	-10	60	116	7.239,00
5130965900	CMPT/6-50 55/145 4 (400/690V50HZ)	960	132	4	-	8,74	11.000	-	-10	60	125	7.337,00
5130966000	CMPT/6-50 60/160 4 (400/690V50HZ)	960	132	4	-	8,74	9.500	-	-10	60	125	7.337,00
5130966100	CMPT/6-50 60/160 5,5 (400/690V50HZ)	960	132	5,5	-	12,2	12.000	-	-10	60	130	7.495,00
5130966200	CMPT/6-60 50/135 5,5 (400/690V50HZ)	960	132	5,5	-	12,2	12.000	-	-10	60	170	9.785,00
5130966300	CMPT/6-60 50/135 7,5 (400/690V50HZ)	965	160	7,5	-	16,4	14.500	-	-10	60	215	10.450,00
5130967300	CMPT/6-60 50/135 11 (400/690V50HZ)	970	160	11	-	23,2	17.200	-	-10	60	220	10.721,00
5130967400	CMPT/6-60 55/145 7,5 (400/690V50HZ)	965	160	7,5	-	16,4	14.000	-	-10	60	215	10.450,00
5130967500	CMPT/6-60 55/145 11 (400/690V50HZ)	970	160	11	-	23,2	18.500	-	-10	60	220	10.721,00
5130967600	CMPT/6-60 55/145 15 (400/690V50HZ)	970	180	15	-	31	19.100	-	-10	60	250	11.432,00
5130967700	CMPT/6-60 60/160 7,5 (400/690V50HZ)	965	160	7,5	-	16,4	14.000	-	-10	60	215	10.450,00
5130967800	CMPT/6-60 60/160 11 (400/690V50HZ)	970	160	11	-	23,2	18.500	-	-10	60	220	10.721,00
5130967900	CMPT/6-60 60/160 15 (400/690V50HZ)	970	180	15	-	31	20.750	-	-10	60	250	11.432,00
5130968100	CMPT/6-70 50/135 11 (400/690V50HZ)	970	160	11	-	23,2	19.000	-	-10	60	160	12.357,00
5130968200	CMPT/6-70 50/135 15 (400/690V50HZ)	970	180	15	-	31	24.000	-	-10	60	288	13.068,00
5130971300	CMPT/6-70 50/135 18,5 (400/690V50HZ)	965	200	18,5	-	36	27.600	-	-10	60	318	13.890,00
5130968300	CMPT/6-70 55/145 15 (400/690V50HZ)	970	180	15	-	31	21.500	-	-10	60	288	13.068,00
5130968400	CMPT/6-70 55/145 18,5 (400/690V50HZ)	965	200	18,5	-	36	25.200	-	-10	60	318	13.890,00
5130968500	CMPT/6-70 55/145 22 (400/690V50HZ)	960	200	22	-	43	28.500	-	-10	60	330	14.412,00
5130968600	CMPT/6-70 60/160 18,5 (400/690V50HZ)	965	200	18,5	-	36	23.400	-	-10	60	318	13.890,00
5130968700	CMPT/6-70 60/160 22 (400/690V50HZ)	960	200	22	-	43	26.500	-	-10	60	330	14.412,00
5130968800	CMPT/6-70 60/160 30 (400/690V50HZ)	965	225	30	-	56	33.500	-	-10	60	385	18.149,00
TROFAZNI 8 POLOVA												
5130968900	CMPT/8-50 50/135 1,1 (230/400V50HZ)	700	100	1,1	-	3,38	7.300	-	-10	60	89	6.948,00
5130969000	CMPT/8-50 55/145 1,5 (230/400V50HZ)	710	112	1,5	-	4,02	6.800	-	-10	60	103	7.091,00
5130969100	CMPT/8-50 55/145 2,2 (230/400V50HZ)	715	132	2,2	-	5,27	8.200	-	-10	60	112	7.465,00
5130969200	CMPT/8-50 60/160 2,2 (230/400V50HZ)	715	132	2,2	-	5,27	8.000	-	-10	60	112	7.465,00
5130969300	CMPT/8-50 60/160 3 (230/400V50HZ)	710	132	3	-	7,2	8.900	-	-10	60	125	7.638,00
5130969400	CMPT/8-60 50/135 3 (230/400V50HZ)	710	132	3	-	7,2	10.500	-	-10	60	165	9.933,00
5130969500	CMPT/8-60 50/135 4 (400/690V 50HZ)	720	160	4	-	10,9	13.300	-	-10	60	194	10.343,00
5130969600	CMPT/8-60 55/145 4 (400/690V 50HZ)	720	160	4	-	10,9	12.000	-	-10	60	194	10.343,00
5130969700	CMPT/8-60 55/145 5,5 (400/690V 50HZ)	710	160	5,5	-	13,4	14.500	-	-10	60	200	10.466,00
5130969900	CMPT/8-60 60/160 4 (400/690V 50HZ)	720	160	4	-	10,9	12.200	-	-10	60	194	10.343,00
5130970000	CMPT/8-60 60/160 5,5 (400/690V 50HZ)	710	160	5,5	-	13,4	15.000	-	-10	60	200	10.466,00
5130970100	CMPT/8-60 60/160 7,5 (400/690V 50HZ)	715	160	7,5	-	18,1	15.900	-	-10	60	225	10.737,00
5130970200	CMPT/8-70 50/135 5,5 (400/690V 50HZ)	710	160	5,5	-	13,4	15.200	-	-10	60	240	12.101,00
5130970300	CMPT/8-70 50/135 7,5 (400/690V 50HZ)	715	160	7,5	-	18,1	19.900	-	-10	60	265	12.377,00
5130970400	CMPT/8-70 50/135 11 (400/690V 50HZ)	720	180	11	-	26,4	20.500	-	-10	60	290	13.068,00
5130970500	CMPT/8-70 55/145 5,5 (400/690V 50HZ)	720	180	11	-	26,4	20.500	-	-10	60	290	12.101,00
5130970800	CMPT/8-70 55/145 7,5 (400/690V 50HZ)	710	160	5,5	-	13,4	14.100	-	-10	60	240	12.377,00
5130970900	CMPT/8-70 55/145 11 (400/690V 50HZ)	720	180	11	-	26,4	22.200	-	-10	60	290	13.068,00
5130971000	CMPT/8-70 60/160 7,5 (400/690V 50HZ)	715	160	7,5	-	18,1	16.200	-	-10	60	253	12.377,00
5130971100	CMPT/8-70 60/160 11 (400/690V 50HZ)	720	180	11	-	26,6	22.500	-	-10	60	290	13.068,00
5130971200	CMPT/8-70 60/160 15 (400/690V 50HZ)	740	200	15	-	29	25.200	-	-10	60	310	13.890,00

PLASTIČNI CENTRIFUGALNI VENTILATORI SA JEDNIM USISOM



Serija CMPT (2) ATEX



Centrifugalni ventilatori sa jednim usisom, napravljeni su od čvrste antistatičke polipropilenske plastike. Postolje motora i oklop od nerđajućeg materijala pružaju zaštitu od mogućeg curenja gasa. Ventilaciono kolo je sa unapred zakrivljenim lopaticama od polipropilenske antistatičke plastike.

Motori:

- Svi motori imaju zaštitu IP55, klase F. - Zavisno od modela, dostupni su trofazni motori sa 2, 4 ili 6 ili polova.
- Motori sa protivpožarnom zaštitom u skladu sa ATEX direktivama.
- Vatrostalni II2G EExdIIBT4 ili EExdIICT4

Napajanje:

- Trofazno 230/400V-50Hz.

Dodatne informacije:

- Nosači su napravljeni od:
- Najlona (modeli 14 do 25);
 - Polipropilena (modeli 30 i 35);
 - Galvanizovanog čelika (model 42).
- Osnovni položaj potisnog voda u kome se pravi ventilator je (LG 0). Svi ostali položaji se izrađuju na zahtev. Zavrtnji su od nerđajućeg čelika.

PRIMENA




Hemijске laboratorije



Atex izdanja

POLOŽAJI



Kod	Model	Brzina o/min	Veličina motora (mm)	Snaga motora (kW)	Maks. jacina struje [A]		Protok [m ³ /h]	Nivo buke [dB(A)]	Najniža temperatura [°C]	Najviša ambijenta [°C]	Težina [kg]	Cena 1G
					230/1/50	400/3/50						
5154011300	CMPT/2-14-0,18 EXDIIBT4	2.900	63	0,18	0,97	0,56	730	60	-10	50	4,5	4.101,00
5154005900	CMPT/2-14-0,18 EXDIIBT5	2.900	63	0,18	0,97	0,56	730	60	-10	50	4,5	4.101,00
5154005600	CMPT/2-20-1,1 EXDIIBT4	2.900	80	1,1	4,33	2,50	2.100	72	-10	50	13	4.144,00
5154011400	CMPT/2-20A-0,55 EXDIIBT4	2.900	71	0,55	2,33	1,29	900	68	-10	50	11	4.334,00
	CMPT/2-20A-0,55 EXDIIBHT4	2.900	71	0,55	2,33	1,29	900	68	-10	50	11	5.450,00
5154005400	CMPT/4-14-0,18 EXDIIBT4	1.450	63	0,18	1,09	0,63	350	45	-10	50	4,5	3.316,00
5154011500	CMPT/4-25-0,55 EXDIIBT4	1.450	80	0,55	2,42	1,40	2680	60	-10	50	15	4.149,00
5154006300	CMPT/4-30-1,1 EXDIIBT4	1.450	90	1,1	4,16	2,40	4240	69	-10	50	29	4.979,00
5154005700	CMPT/4-35-3 EXDIIBT4	1.450	100	3	10,91	6,30	6470	72	-10	50	48	7.822,00
5154011600	CMPT/4-42-5,5 EXDIIBT4	1.450	132	5,5	-	11,1	8.500	75	-10	50	88	11.108,00
5154005300	CMPT/4-42-7,5 EXDIIBT4	1.450	132	7,5	-	14,8	11.211	80	-10	50	102	16.516,00
5154011700	CMPT/6-20 EXDIIBT4	950	71	0,18	1,06	0,61	850	51	-10	60	8	3.606,00
5154011800	CMPT/6-25 EXDIIBT4	950	71	0,18	1,06	0,61	1.810	51	-10	60	13	3.885,00
5154012100	CMPT/6-30 EXDIIBT4	950	80	0,37	1,85	1,07	2.760	60	-10	60	25	6.345,00
5154011900	CMPT/6-35 EXDIIBT4	950	90	1,1	5,20	3,00	4.780	64	-10	60	42	7.303,00
5154012000	CMPT/6-42 EXDIIBT4	950	132	3	12,64	7,30	8.330	71	-10	60	88	#####


Dodatna oprema za serije CMP(B/T) (2) i CMPT (2) ATEX

Model	Prečnik [Ø]	Štitnik motora		
		Kod	Oznaka	Cena 1G [€]
CMP(B/T)14	125	5130316000	CMP-14	59,00
CMP(B/T)20	200	5130316100	CMP-20	77,00
CMP(B/T)20A	160	5130316100	CMP-20	77,00
CMP(B/T)23	250	5130316200	CMP-25	108,00
CMP(B/T)24	250	5130316200	CMP-25	108,00
CMP(B/T)25	250	5130316200	CMP-25	108,00
CMP(B/T)25A	160	5130316200	CMP-25	108,00
CMP(B/T)25M	250	5130316200	CMP-25	108,00
CMP(B/T)30	315	5130316300	CMP-30	122,00
CMP(B/T)30A	200	5130316300	CMP-30	122,00
CMP(B/T)35	355	5130316400	CMP-35	139,00
CMPT42	400	5130316500	CMP-42	243,00
CMPT50	500		CMP-50	
CMPT60	600		CMP-60	
CMPT70	700		CMP-70	




CMP

Model	Prečnik [Ø]	Usis											
		Elastična veza			Regulator protoka			Prigušivač zvuka			Zaštitna mrežica		
		Kod	Oznaka	Cena 1G [€]	Kod	Oznaka	Cena 1G [€]	Kod	Oznaka	Cena 1G [€]	Kod	Oznaka	Cena 1G [€]
CMP(B/T)14	125	5130315300	MFP-125-N	38,00	5130317500	CARP-125-N	158,00	5130995900	SILP-125	720,00		DEF.CIR 12	
CMP(B/T)20	200	5130315500	MFP-200-N	44,00	5130317700	CARP-200-N	230,00	5130318200	SILP-200	857,00		DEF.CIR 20	
CMP(B/T)20A	160	5130315400	MFP-160-N	40,00	5130317600	CARP-160-N	183,00	5130318100	SILP-160	775,00		DEF.CIR 16	
CMP(B/T)23	250	5130315600	MFP-250-N	51,00	5130317800	CARP-250-N	243,00	5130318300	SILP-250	938,00		DEF.CIR 25	
CMP(B/T)24	250	5130315600	MFP-250-N	51,00	5130317800	CARP-250-N	243,00	5130318300	SILP-250	938,00		DEF.CIR 25	
CMP(B/T)25	250	5130315600	MFP-250-N	51,00	5130317800	CARP-250-N	243,00	5130318300	SILP-250	938,00		DEF.CIR 25	
CMP(B/T)25A	160	5130315400	MFP-160-N	40,00	5130317600	CARP-160-N	183,00	5130318100	SILP-160	775,00		DEF.CIR 16	
CMP(B/T)25M	250	5130315600	MFP-250-N	51,00	5130317800	CARP-250-N	243,00	5130318300	SILP-250	938,00		DEF.CIR 25	
CMP(B/T)30	315	5130315700	MFP-315-N	62,00	5130317900	CARP-315-N	300,00	5130318400	SILP-315	1.124,00		DEF.CIR 30	
CMP(B/T)30A	200	5130315500	MFP-200-N	44,00	5130317700	CARP-200-N	230,00	5130318200	SILP-200	857,00		DEF.CIR 20	
CMP(B/T)35	355	5130315800	MFP-355-N	77,00		CARP-355-N		5130318500	SILP-355	1.550,00		DEF.CIR 35	
CMPT42	400	5130315900	MFP-400-N	86,00	5130318000	CARP-400-N	634,00	5130318600	SILP-400	1.550,00		DEF.CIR 40	
CMPT50	500		MFP-500-N					5130995800	SILP-500	1.750,00		DEF.CIR 50	
CMPT60	600		MFP-600-N									DEF.CIR 60	
CMPT70	700		MFP-700-N									DEF.CIR 70	



MFP-N



CARP-N



SILP




DEF.CIR


Model	Prečnik [Ø]	Potis								
		Adapter za prelazak sa □ na ○ kanal			Kružni plenum sa mrežicom			Pravougaoni plenum sa mrežicom		
		Kod	Oznaka	Cena 1G [€]	Kod	Oznaka	Cena 1G [€]	Kod	Oznaka	Cena 1G [€]
CMP(B/T)14	125				5130316600	APP-125-N	50,00			
CMP(B/T)20	200				5130316700	APP-200-N	67,00			
CMP(B/T)20A	105x90	5130318700	ACP-20A-N	83,00				5130319200	APR-20A	144,00
CMP(B/T)23	200				5130316700	APP-200-N	67,00			
CMP(B/T)24	250				5130316800	APP-250-N	74,00			
CMP(B/T)25	250				5130316800	APP-250-N	74,00			
CMP(B/T)25A	105x90	5130318800	ACP-25A-N	99,00				5130319300	APR-25A	144,00
CMP(B/T)25M	200				5130316700	APP-200-N	67,00			
CMP(B/T)30	250				5130316800	APP-250-N	74,00			
CMP(B/T)30A	155x140	5130318900	ACP-30A-N	138,00				5130319400	APR-30A	224,00
CMP(B/T)35	280x225	5130319000	ACP-35-N	223,00				5130319500	APR-35	303,00
CMP(B/T)42	335x270	5130319100	ACP-42-N	240,00				5130319600	APR-42	363,00
CMPT50	400x320	5130994800	ACP-50-N	319,00					APR-50	
CMPT60	480x385		ACP-60-N						APR-60	
CMPT70	560x450		ACP-70-N						APR-70	



ACP-N



APP-N



ARP

Model	Prečnik [Ø]	Potis								
		Protivikišna kapa			Kružni plenum sa mrežicom			Prigušivač zvuka		
		Kod	Oznaka	Cena 1G [€]	Kod	Oznaka	Cena 1G [€]	Kod	Oznaka	Cena 1G [€]
CMP(B/T)14	125	5130317000	CTP-125-N	183,00	5130317500	CARP-125-N	158,00	5130995900	SILP-125	720,00
CMP(B/T)20	200	5130317200	CTP-200-N	227,00	5130317700	CARP-200-N	230,00	5130318200	SILP-200	857,00
CMP(B/T)20A	105x90	5130317100	CTP-160-N (+ACP-20A-N)	216,00 (+ 79,00)	5130317600	CARP-160-N (+ ACP-20A-N)	174,00 (+ 79,00)	5130318100	SILP-160 (+ ACP-20A-N)	738,00 (+ 79,00)
CMP(B/T)23	200	5130317200	CTP-200-N	227,00	5130317800	CARP-250-N	243,00	5130318300	SILP-250	938,00
CMP(B/T)24	250	5130317300	CTP-250-N	273,00	5130317800	CARP-250-N	243,00	5130318300	SILP-250	938,00
CMP(B/T)25	250	5130317300	CTP-250-N	273,00	5130317800	CARP-250-N	243,00	5130318300	SILP-250	938,00
CMP(B/T)25A	130x115	5130317100	CTP-160-N (+ ACP-25A-N)	216,00 (+ 94,00)	5130317600	CARP-160-N (+ACP-25A-N)	174,00 (+ 94,00)	5130318100	SILP-160 (+ACP-25A-N)	738,00 (+ 94,00)
CMP(B/T)25M	200	5130317200	CTP-200-N	227,00	5130317800	CARP-250-N	243,00	5130318300	SILP-250	857,00
CMP(B/T)30	250	5130317300	CTP-250-N	273,00	5130317900	CARP-250-N	243,00	5130318400	SILP-315	1.163,00
CMP(B/T)30A	155x140	5130317200	CTP-200-N (+ACP-30A-N)	216,00 (+ 131,00)	5130317700	CARP-200-N (+ACP-30A-N)	217,00 (+ 131,00)	5130318200	SILP-200 (+ACP-30A-N)	816,00 (+ 131,00)
CMP(B/T)35	280x225	5130317400	CTP-400-N (+ REP-400/355 +ACP-35-N)	625,00 (+ 119,00 + 212,00)	5130318000	CARP-400-N (+ REP- 400/355 + ACP-35-N)	603,00 (+ 119,00 + 212,00)	5130318500	SILP-355 (+ ACP-35-N)	1.476,00 (+ 212,00)
CMPT42	335x270	5130317400	CTP-400-N (+ACP-42-N)	625,00 (+ 228,00)	5130318000	CARP-400-N (+ ACP-42-N)	603,00 (+ 228,00)	5130318600	SILP-400 (+ ACP-42-N)	1.476,00 (+ 228,00)
CMPT50	400x320	5130317300	CTP-500-N (+ACP-50-N)	260 (+ 303,00)				5130318400	SILP-500 (+ ACP-50-N)	1.107,00 (+303,00)
CMPT60	480x385									
CMPT70	560x450									



CTP-N



CARP-N



SILP