



E12 & E12-15⁰

Linearna, laki tip, rešetka sa jednim redom nepokretnih lamela. Razmak između lamela je 12mm a konstruisane su za izbacivanje ravno ili pod uglom od 15°. Lamele su paralelne sa prvom datom dimenzijom. Rešetka može da bude usisna ili odsisna i postavlja se na zid ili na plafon.


Linear, light type, grille with one row of fixed blades. The blades are 12mm spaced and they are constructed for throw straight or 15° deflected. The blades are parallel to the first mentioned dimension. Is used for supply or return air and is installed in walls or ceilings.

DIMENZIJA OTVORA / HOLE DIMENSION

Visina / Height (mm)

	50	75	100	125	150	200	250	300	350	400	450	500	550	600	650	700	750	800	850	900	950	1000	
100	10,55	10,55	10,55																				
125	10,55	10,55	10,55	10,55																			
150	10,55	10,55	10,55	10,55	10,55																		
200	10,55	10,55	10,55	10,55	10,55	10,55																	
250	10,55	10,55	10,55	10,55	10,55	11,72	13,77																
300	10,55	10,55	10,55	11,60	12,66	14,06	16,53	18,99															
350	10,55	10,61	12,00	13,53	14,77	16,41	19,28	22,16	24,98														
400	10,55	12,12	13,71	15,47	16,88	18,75	22,04	25,32	28,55	31,95													
450	11,79	13,64	15,42	17,40	18,99	21,10	24,79	28,49	32,12	35,95	39,52												
500	13,10	15,15	17,14	19,33	21,10	23,44	27,55	31,65	35,69	39,94	43,91	47,46											
550	14,41	16,67	18,85	21,27	23,21	25,78	30,30	34,82	39,26	43,94	48,30	52,20	56,70										
600	15,72	18,19	20,56	23,20	25,32	28,13	33,06	37,98	42,83	47,93	52,69	56,95	61,85	66,97									
650	17,03	19,70	22,28	25,13	27,43	30,47	35,81	41,15	46,40	51,92	57,08	61,69	67,01	72,55	78,05								
700	18,34	21,22	23,99	27,07	29,54	32,81	38,56	44,31	49,96	55,92	61,47	66,44	72,16	78,13	84,06	90,03							
750	19,65	22,73	25,71	29,00	31,65	35,16	41,32	47,48	53,53	59,91	65,86	71,18	77,31	83,71	90,06	96,46	102,84						
800	20,96	24,25	27,42	30,93	33,76	37,50	44,07	50,64	57,10	63,91	70,25	75,93	82,47	89,29	96,07	102,89	109,69	116,46					
850	22,27	25,76	29,13	32,86	35,87	39,85	46,83	53,81	60,67	67,90	74,64	80,67	87,62	94,87	102,07	109,32	116,55	123,74	130,93				
900	23,58	27,28	30,85	34,80	37,98	42,19	49,58	56,97	64,24	71,90	79,03	85,42	92,78	100,45	108,07	115,75	123,40	131,02	138,63	146,24			
950	24,89	28,79	32,56	36,73	40,09	44,53	52,34	60,14	67,81	75,89	83,42	90,17	97,93	106,03	114,08	122,18	130,26	138,30	146,33	154,37	162,41		
1000	26,20	30,31	34,27	38,66	42,20	46,88	55,09	63,31	71,38	79,88	87,81	94,91	103,09	111,61	120,08	128,61	137,11	145,57	154,03	162,49	170,95	179,41	

Širina / Width (mm)



CENOVNIK ZA REŠETKE OD
ELOKSIRANOG ALUMINIJUMA
U PRIRODNOJ BOJI

PRICELIST FOR GRILLES MADE
OF ANODIZED ALUMINIUM
IN NATURAL COLOUR

NAPOMENA:

* U slučaju kada imamo rešetku npr. 200x800 uzimamo cenu za rešetku 800x200.

* Postoji mogućnost skrivene ugradnje sa klipsama (štipaljka) (strana P2, crtež 1A) bez doplate i "Π" ramom (strana P2, crtež 1B) uz doplatu.

NOTES:

* In the case where we have a grille i.e. 200x800 we can use the price of 800x200.

* Secret fixing is possible with spring clips (page P2, drawing 1A) without extra charge or with "Π" frame (page P2, drawing 1B) with extra charge.



E12 & E12-15° (RAL)

- Linearna, laki tip, rešetka sa jednim redom nepokretnih lamela. Razmak između lamela je 12mm a konstruisane su za izbacivanje ravno ili pod uglom od 15°. Lamele su paralelne sa prvom datom dimenzijom. Rešetka može da bude usisna ili odsisna i postavlja se na zid ili na plafon.
- Linear, light type, grille with one row of fixed blades. The blades are 12mm spaced and they are constructed for throw straight or 15° deflected. The blades are parallel to the first mentioned dimension. Is used for supply or return air and is installed in walls or ceilings.

DIMENZIJE OTVORA / HOLE DIMENSION


Visina / Height (mm)

	50	75	100	125	150	200	250	300	350	400	450	500	550	600	650	700	750	800	850	900	950	1000	
100	16,30	16,30	16,30																				
125	16,30	16,30	16,30	16,30																			
150	16,30	16,30	16,30	16,30	16,30																		
200	16,30	16,30	16,30	16,30	16,30	16,30																	
250	16,30	16,30	16,30	16,30	16,30	17,47	19,52																
300	16,30	16,30	16,30	17,35	18,41	19,81	22,28	24,74															
350	16,30	16,36	17,75	19,28	20,52	22,16	25,03	27,91	30,73														
400	16,30	17,87	19,46	21,22	22,63	24,50	27,79	31,07	34,30	37,70													
450	17,54	19,39	21,17	23,15	24,74	26,84	30,54	34,24	37,87	41,70	45,27												
500	18,85	20,90	22,89	25,08	26,85	29,19	33,30	37,40	41,44	45,69	49,66	53,21											
550	20,16	22,42	24,60	27,02	28,96	31,53	36,05	40,57	45,01	49,69	54,05	57,95	62,45										
600	21,47	23,94	26,31	28,95	31,07	33,88	38,80	43,73	48,58	53,68	58,44	62,70	67,74	73,35									
650	22,78	25,45	28,03	30,88	33,18	36,22	41,56	46,90	52,14	57,67	62,83	67,57	73,39	79,46	85,49								
700	24,09	26,97	29,74	32,81	35,29	38,56	44,31	50,06	55,71	61,67	67,32	72,76	79,03	85,57	92,06	98,60							
750	25,40	28,48	31,46	34,75	37,40	40,91	47,07	53,23	59,28	65,66	72,13	77,96	84,68	91,68	98,64	105,64	112,63						
800	26,71	30,00	33,17	36,68	39,51	43,25	49,82	56,39	62,85	69,99	76,94	83,16	90,32	97,79	105,21	112,68	120,14	127,55					
850	28,02	31,51	34,88	38,61	41,62	45,60	52,58	59,56	66,45	74,37	81,75	88,36	95,97	103,91	111,79	119,73	127,65	135,52	143,40				
900	29,33	33,03	36,60	40,55	43,73	47,94	55,33	62,72	70,36	78,74	86,56	93,55	101,61	110,02	118,37	126,77	135,16	143,49	151,83	160,17			
950	30,64	34,54	38,31	42,48	45,84	50,28	58,09	65,89	74,27	83,12	91,37	98,75	107,26	116,13	124,94	133,81	142,66	151,47	160,27	169,07	177,87		
1000	31,95	36,06	40,02	44,41	47,95	52,63	60,84	69,33	78,17	87,49	96,18	103,95	112,90	122,24	131,52	140,86	150,17	159,44	168,70	177,97	187,23	196,50	

Širina / Width (mm)

CENOVNIK ZA REŠETKE
OBOJENE RAL BOJOM
PLASTIFICIRANE

PRICE LIST FOR GRILLES
PAINTED IN RAL COLOUR
ELECTROSTATICALLY



NAPOMENA:

- * U slučaju kada imamo rešetku npr. 200x800 uzimamo cenu za rešetku 800x200.
- * Za neke specijalne RAL boje postoji dodatak u ceni. Pozovite nas za detaljnije informacije.
- * Postoji mogućnost skrivene ugradnje sa klipsama (štipaljka) (strana P2, crtež 1A) bez doplate i "Π" ramom (strana P2, crtež 1B) uz doplatu.

NOTES:

- * In the case where we have a grille i.e. 200x800 we can use the price of 800x200.
- * For some special RAL colours there is extra charge. Call us for more information.
- * Secret fixing is possible with spring clips (page P2, drawing 1A) without extra charge or with "Π" frame (page P2, drawing 1B) with extra charge.



E12-D & E12-15°-D


- Linearna, laki tip, rešetka sa jednim redom nepokretnih lamela. Razmak između lamela je 12mm a konstruisane su za izbacivanje ravno ili pod uglom od 15°. Lamele su paralelne sa prvom datom dimenzijom. Poseduju regulator protoka vazduha. Rešetka može da bude usisna ili odsisna i postavlja se na zid ili na plafon.
- Linear, light type, grille with one row of fixed blades. The blades are 12mm spaced and they are constructed for throw straight or 15° deflected. The blades are parallel to the first mentioned dimension. With opposed blade damper for regulation of air flow. Is used for supply or return air and is installed in walls or ceilings.*

DIMENZIJA OTVORA / HOLE DIMENSION

Visina / Height (mm)

	100	125	150	200	250	300	350	400	450	500	550	600	650	700	750	800	850	900	950	1000	
100	18,67																				
125	18,67	18,67																			
150	18,67	18,67	18,67																		
200	18,67	18,67	18,67	18,67																	
250	18,67	18,67	18,67	20,64	23,41																
300	18,67	19,67	21,59	23,84	27,00	30,32															
350	19,94	22,46	24,55	27,08	30,61	34,90	39,01														
400	22,51	25,24	27,55	30,23	33,42	39,49	44,03	49,38													
450	25,08	28,03	30,51	33,56	37,16	44,07	48,98	55,12	61,04												
500	27,64	30,81	33,48	36,61	41,44	48,66	54,24	60,81	67,09	72,24											
550	30,21	33,60	36,35	39,85	45,18	53,23	58,95	66,46	73,23	78,84	86,01										
600	32,77	36,38	39,39	43,14	48,73	57,77	63,93	72,19	79,46	86,26	98,58	107,04									
650	34,90	38,66	41,65	45,98	52,68	61,07	68,35	76,88	85,04	92,86	106,80	115,95	125,08								
700	37,02	40,95	43,91	48,81	56,64	64,37	72,77	81,56	90,61	99,46	115,01	124,87	134,70	144,56							
750	39,02	43,30	46,70	52,30	60,86	69,01	79,03	88,67	98,16	108,01	123,23	133,79	144,32	154,89	165,44						
800	41,58	45,88	49,71	56,20	66,16	75,71	87,83	96,19	104,95	113,33	131,44	142,71	153,94	165,21	176,47	187,69					
850	43,65	48,48	52,50	59,39	70,27	80,44	92,39	102,60	112,03	122,17	139,66	151,63	163,56	175,54	187,50	199,42	211,34				
900	45,72	51,08	55,30	62,58	74,37	85,16	96,96	109,01	119,12	131,02	147,87	160,55	173,18	185,87	198,53	211,15	223,77	236,40			
950	47,93	54,15	58,52	66,70	78,68	90,10	102,65	115,19	126,69	140,87	156,09	169,47	182,80	196,19	209,56	222,88	236,21	249,53	262,85		
1000	50,13	57,21	61,74	70,81	82,99	95,03	108,35	121,38	134,27	150,71	164,30	178,39	192,43	206,52	220,59	234,61	248,64	262,66	276,69	290,71	

Širina / Width (mm)



CENOVNIK ZA REŠETKE OD
ELOKSIRANOG ALUMINIJUMA
 U PRIRODNOJ BOJI

PRICELIST FOR GRILLES MADE
 OF **ANODIZED ALUMINIUM**
 IN NATURAL COLOUR

NAPOMENA:

* U slučaju kada imamo rešetku npr. 200x800 uzimamo cenu za rešetku 800x200.

* Postoji mogućnost skrivene ugradnje sa klipsama (štipaljka) (strana P2, crtež 1A) bez doplate i "IT" ramom (strana P2, crtež 1B) uz doplatu.

NOTES:

* In the case where we have a grille i.e. 200x800 we can use the price of 800x200.

* Secret fixing is possible with spring clips (page P2, drawing 1A) without extra charge or with "IT" frame (page P2, drawing 1B) with extra charge.



E12-D & E12-15°-D (RAL)

- Linearna, laki tip, rešetka sa jednim redom nepokretnih lamela. Razmak između lamela je 12mm a konstruisane su za izbacivanje ravno ili pod uglom od 15°. Lamele su paralelne sa prvom datom dimenzijom. Poseduju regulator protoka vazduha. Rešetka može da bude usisna ili odsisna i postavlja se na zid ili na plafon.
- Linear, light type, grille with one row of fixed blades. The blades are 12mm spaced and they are constructed for throw straight or 15° deflected. The blades are parallel to the first mentioned dimension. With opposed blade damper for regulation of air flow. Is used for supply or return air and is installed in walls or ceilings.

DIMENZIJA OTOVORA / HOLE DIMENSION


Visina / Height (mm)

	100	125	150	200	250	300	350	400	450	500	550	600	650	700	750	800	850	900	950	1000	
100	24,42																				
125	24,42	24,42																			
150	24,42	24,42	24,42																		
200	24,42	24,42	24,42	24,42																	
250	24,42	24,42	24,42	26,39	29,16																
300	24,42	25,42	27,34	29,59	32,75	36,07															
350	25,69	28,21	30,30	32,83	36,36	40,65	44,76														
400	28,26	30,99	33,30	35,98	39,17	45,24	49,78	55,13													
450	30,82	33,78	36,26	39,31	42,91	49,82	54,73	60,87	66,79												
500	33,39	36,56	39,23	42,36	47,19	54,41	59,99	66,56	72,84	77,99											
550	35,96	39,35	42,10	45,60	50,93	58,98	64,70	72,21	78,98	84,59	91,76										
600	38,52	42,13	45,14	48,89	54,47	63,52	69,68	77,94	85,21	92,01	104,47	113,41									
650	40,65	44,41	47,40	51,73	58,43	66,82	74,10	82,63	90,79	98,74	113,18	122,86	132,51								
700	42,77	46,70	49,66	54,56	62,39	70,12	78,52	87,31	96,47	105,79	121,88	132,32	142,70	153,14							
750	44,77	49,05	52,45	58,05	66,61	74,76	84,77	94,42	104,43	114,79	130,59	141,77	152,90	164,07	175,24						
800	47,33	51,63	55,46	61,95	71,91	81,46	93,58	102,28	111,64	120,56	139,30	151,22	163,09	175,01	186,92	198,78					
850	49,40	54,23	58,25	65,14	76,02	86,19	98,17	109,07	119,14	129,86	148,00	160,67	173,28	185,95	198,60	211,21	223,81				
900	51,47	56,83	61,05	68,33	80,12	90,91	103,08	115,86	126,64	139,16	156,71	170,12	183,48	196,89	210,28	223,63	236,98	250,32			
950	53,68	59,90	64,27	72,45	84,43	95,85	109,11	122,42	134,64	149,45	165,41	179,57	193,67	207,83	221,96	236,05	250,14	264,23	278,32		
1000	55,88	62,96	67,49	76,56	88,74	101,06	115,15	128,99	142,63	159,75	174,12	189,02	203,86	218,77	233,65	248,48	263,31	278,14	292,97	307,80	

Širina / Width (mm)

CENOVNIK ZA REŠETKE
OBOJENE RAL BOJOM
PLASTIFICIRANE

PRICE LIST FOR GRILLES
PAINTED IN RAL COLOUR
ELECTROSTATICALLY



NAPOMENA:

* U slučaju kada imamo rešetku npr. 200x800 uzimamo cenu za rešetku 800x200.

* Za neke specijalne RAL boje postoji dodatak u ceni. Pozovite nas za detaljnije informacije.

* Postoji mogućnost skrivene ugradnje sa klipsama (štipaljka) (strana P2, crtež 1A) bez doplate i "Π" ramom (strana P2, crtež 1B) uz doplatu.

NOTES:

* In the case where we have a grille i.e. 200x800 we can use the price of 800x200.

* For some special RAL colours there is extra charge. Call us for more information.

* Secret fixing is possible with spring clips (page P2, drawing 1A) without extra charge or with "Π" frame (page P2, drawing 1B) with extra charge.