


### E17 & E17-15°

- Linearna, laki tip rešetka, sa jednim redom nepokretnih lamela. Razmak između lamela je 17mm a lamele su konstruisane za izbacivanje ravno ili pod uglom od 15°. Lamele su paralelne sa prvom datom dimenzijom. Rešetka može biti usisna ili odsisna i postavlja se na zid ili pod.
- Linear, light type, grille with one row of fixed blades. The blades are 17mm spaced and they are constructed for throw straight or 15° deflected. The blades are parallel to the first mentioned dimension. Is used for supply or return air and is installed in walls or ceilings.*

### DIMENZIJE OTVORA / HOLE DIMENSION

Visina / Height (mm)

	50	75	100	125	150	200	250	300	350	400	450	500	550	600	650	700	750	800	850	900	950	1000	
100	10,02	10,02	10,02																				
125	10,02	10,02	10,02	10,02																			
150	10,02	10,02	10,02	10,02	10,02																		
200	10,02	10,02	10,02	10,02	10,02	10,02																	
250	10,02	10,02	10,02	10,02	10,02	11,14	12,95																
300	10,02	10,02	10,02	11,02	12,03	13,36	15,54	17,85															
350	10,02	10,08	11,39	12,86	14,03	15,59	18,13	20,83	23,74														
400	10,02	11,52	13,02	14,69	16,04	17,82	20,72	23,80	27,13	29,71													
450	11,21	12,96	14,65	16,53	18,04	20,04	23,31	26,78	30,52	33,43	36,75												
500	12,45	14,40	16,28	18,37	20,05	22,27	25,89	29,76	33,91	37,14	40,83	44,12											
550	13,70	15,84	17,90	20,20	22,05	24,50	28,48	32,73	37,30	40,86	44,91	48,53	51,81										
600	14,94	17,28	19,53	22,04	24,06	26,72	31,07	35,71	40,69	44,57	49,00	52,94	56,52	60,93									
650	16,19	18,72	21,16	23,88	26,06	28,95	33,66	38,68	44,08	48,28	53,08	57,36	61,23	66,00	71,03								
700	17,43	20,16	22,79	25,71	28,07	31,18	36,25	41,66	47,47	52,00	57,16	61,77	65,94	71,08	76,49	81,19							
750	18,68	21,60	24,41	27,55	30,07	33,41	38,84	44,63	50,86	55,71	61,25	66,18	70,65	76,16	81,96	86,99	92,54						
800	19,92	23,04	26,04	29,39	32,07	35,63	41,43	47,61	54,26	59,43	65,33	70,59	75,36	81,24	87,42	92,79	98,71	104,83					
850	21,17	24,48	27,67	31,22	34,08	37,86	44,02	50,58	57,65	63,14	69,41	75,00	80,07	86,31	92,88	98,59	104,88	111,38	117,89				
900	22,42	25,92	29,30	33,06	36,08	40,09	46,61	53,56	61,04	66,85	73,50	79,42	84,78	91,39	98,35	104,39	111,05	117,94	124,83	131,71			
950	23,66	27,36	30,92	34,90	38,09	42,31	49,20	56,54	64,43	70,57	77,58	83,83	89,49	96,47	103,81	110,18	117,21	124,49	131,76	139,03	146,30		
1000	24,91	28,79	32,55	36,73	40,09	44,54	51,79	59,51	67,82	74,28	81,66	88,24	94,20	101,54	109,28	115,98	123,38	131,04	138,69	146,35	154,01	161,66	



CENOVNIK ZA REŠETKE OD  
**ELOKSIRANOG ALUMINIJUMA**  
 U PRIRODNOJ BOJI

PRICELIST FOR GRILLES MADE  
 OF **ANODIZED ALUMINIUM**  
 IN NATURAL COLOUR

**NAPOMENA:**


\* U slučaju kada imamo rešetku npr. 200x800 uzimamo cenu za rešetku 800x200.

\* Postoji mogućnost skrivene ugradnje sa klipsama (štikaljkama) (strana P2, crtež 1A) bez doplate i "TI" ramom (strana P2, crtež 1B) uz doplatu.

**NOTES:**

\* In the case where we have a grille i.e. 200x800 we can use the price of 800x200.

\*Secret fixing is possible with spring clips (page P2, drawing 1A) without extra charge or with "TI" frame (page P2, drawing 1B) with extra charge.



## E17 & E17-15° (RAL)

- Linearna, laki tip, rešetka sa jednim redom nepokretnih lamela. Razmak između lamela je 17mm a konstruisane su za izbacivanje ravno ili pod uglom od 150. Lamele su paralelne sa prvom datom dimenzijom. Rešetka može biti usisna ili odsisna i postavlja se na zid ili plafon.
- Linear, light type, grille with one row of fixed blades. The blades are 17mm spaced and they are constructed for throw straight or 15° deflected. The blades are parallel to the first mentioned dimension. Is used for supply or return air and is installed in walls or ceilings.

### DIMENZIJE OTVORA / HOLE DIMENSION


Visina / Height (mm)

	50	75	100	125	150	200	250	300	350	400	450	500	550	600	650	700	750	800	850	900	950	1000	
100	15,77	15,77	15,77																				
125	15,77	15,77	15,77	15,77																			
150	15,77	15,77	15,77	15,77	15,77																		
200	15,77	15,77	15,77	15,77	15,77	15,77																	
250	15,77	15,77	15,77	15,77	15,77	16,88	18,70																
300	15,77	15,77	15,77	16,77	17,78	19,11	21,29	23,60															
350	15,77	15,83	17,14	18,61	19,78	21,34	23,88	26,58	29,49														
400	15,77	17,27	18,77	20,44	21,79	23,57	26,47	29,55	32,88	35,46													
450	16,96	18,71	20,40	22,28	23,79	25,79	29,05	32,53	36,27	39,18	42,50												
500	18,20	20,15	22,03	24,12	25,80	28,02	31,64	35,51	39,66	42,89	46,58	49,87											
550	19,45	21,59	23,65	25,95	27,80	30,25	34,23	38,48	43,05	46,60	50,66	54,28	57,56										
600	20,69	23,03	25,28	27,79	29,81	32,47	36,82	41,46	46,44	50,32	54,75	58,69	62,27	66,73									
650	21,94	24,47	26,91	29,63	31,81	34,70	39,41	44,43	49,83	54,03	58,83	63,11	67,06	72,29	77,79								
700	23,18	25,91	28,54	31,46	33,82	36,93	42,00	47,41	53,22	57,75	62,91	67,65	72,22	77,85	83,78	88,92							
750	24,43	27,35	30,16	33,30	35,82	39,16	44,59	50,38	56,61	61,46	67,08	72,48	77,38	83,41	89,76	95,27	101,35						
800	25,67	28,79	31,79	35,14	37,82	41,38	47,18	53,36	60,00	65,18	71,55	77,31	82,54	88,97	95,75	101,62	108,11	114,82					
850	26,92	30,23	33,42	36,97	39,83	43,61	49,77	56,33	63,40	69,15	76,02	82,15	87,70	94,53	101,73	107,98	114,86	121,99	129,12				
900	28,16	31,67	35,05	38,81	41,83	45,84	52,36	59,31	66,85	73,22	80,50	86,98	92,86	100,09	107,71	114,33	121,62	129,17	136,71	144,26			
950	29,41	33,10	36,67	40,65	43,84	48,06	54,95	62,28	70,56	77,29	84,97	91,81	98,01	105,65	113,70	120,68	128,38	136,34	144,31	152,27	160,24		
1000	30,66	34,54	38,30	42,48	45,84	50,29	57,54	65,26	74,28	81,36	89,44	96,64	103,17	111,21	119,68	127,03	135,13	143,52	151,90	160,29	168,67	177,06	

Širina / Width (mm)

CENOVNIK ZA REŠETKE  
OBOJENE RAL BOJOM  
PLASTIFICIRANE

PRICE LIST FOR GRILLES  
PAINTED IN RAL COLOUR  
ELECTROSTATICALLY




#### NAPOMENE:

- \* U slučaju kada imamo rešetke 200x800 uzimamo cenu rešetke 800x200.
- \* Za neke RAL boje postoji dodatak u ceni. Kontaktirajte nas za detaljnije informacije.
- \* Postoji mogućnost skrivenog montiranja (pogledajte crtež 1 na 67. strani) za sve dimenzije, uz dodatnu naplatu.

#### NOTES:

- \* In the case where we have grilles 200X800 we can use the price of 800X200.
- \* For some special RAL colours there is extra charge. Come in touch with us for more information.
- \* Secret fixing is possible (See drawing 1 page 67) for all dimensions with extra charge.



### E17-D & E17-15°-D


- Linearna, laki tip, rešetka sa jednim redom nepokretnih lamela. Razmak između lamela je 17mm i konstruisane su za izbacivanje ravno ili pod uglom od 15°. Lamele su paralelne prvoj datoj dimenziji. Ima regulator protoka sa suprotnosmernim lamelama za regulaciju protoka vazduha. Usisna ili odsisna rešetka koja se postavlja na zid ili plafon.
- Linear, light type, grille with one row of fixed blades. The blades are 17mm spaced and they are constructed for throw straight or 15° deflected. The blades are parallel to the first mentioned dimension. With opposed blade damper for regulation of air flow. Is used for supply or return air and is installed in walls or ceilings.

#### DIMENZIJE OTVORA / HOLE DIMENSION

Visina / Height (mm)

	100	125	150	200	250	300	350	400	450	500	550	600	650	700	750	800	850	900	950	1000	
100	18,14																				
125	18,14	18,14																			
150	18,14	18,14	18,14																		
200	18,14	18,14	18,14	18,14																	
250	18,14	18,14	18,14	20,06	22,58																
300	18,14	19,09	20,96	23,14	26,01	29,18															
350	19,34	21,78	23,81	26,26	29,45	33,58	37,76														
400	21,82	24,47	26,70	29,29	32,10	37,97	42,61	47,14													
450	24,30	27,16	29,56	32,51	35,67	42,36	47,38	52,60	58,28												
500	26,78	29,85	32,42	35,44	39,79	46,76	52,46	58,01	64,02	68,90											
550	29,26	32,53	35,19	38,57	43,36	51,15	56,99	63,38	69,85	75,17	81,13										
600	31,74	35,22	38,13	41,74	46,74	55,49	61,79	68,83	75,77	82,26	93,25	100,99									
650	33,78	37,41	40,28	44,46	50,53	58,61	66,04	73,24	81,04	88,53	101,02	109,41	118,05								
700	35,82	39,60	42,43	47,17	54,33	61,72	70,28	77,64	86,31	94,79	108,79	117,83	127,13	135,73							
750	37,73	41,85	45,12	50,54	58,38	66,16	76,36	84,47	93,54	103,01	116,56	126,24	136,21	145,42	155,14						
800	40,21	44,34	48,02	54,33	63,52	72,68	84,98	91,71	100,03	107,99	124,33	134,66	145,30	155,11	165,49	176,06					
850	42,19	46,84	50,71	57,40	67,46	77,21	89,37	97,84	106,81	116,50	132,10	143,08	154,38	164,81	175,83	187,07	198,30				
900	44,17	49,35	53,40	60,48	71,40	81,75	93,76	103,97	113,58	125,02	139,87	151,49	163,46	174,50	186,17	198,07	209,97	221,87			
950	46,29	52,31	56,52	64,48	75,54	86,49	99,27	109,87	120,85	134,53	147,64	159,91	172,54	184,20	196,52	209,07	221,63	234,19	246,75		
1000	48,41	55,28	59,63	68,47	79,69	91,24	104,79	115,78	128,12	144,04	155,42	168,32	181,62	193,89	206,86	220,08	233,30	246,52	259,74	272,96	

Širina / Width (mm)



CENOVNIK ZA REŠETKE OD  
ELOKSIRANOG ALUMINIJUMA  
U PRIRODNOJ BOJI

PRICELIST FOR GRILLES MADE  
OF ANODIZED ALUMINIUM  
IN NATURAL COLOUR

#### NAPOMENE:


\*Kada imamo rešetku 200X800, uzimamo cenu rešetke 800x200.

\*Postoji mogućnost skrivenog montiranja (pogledati crtež 1 na strani 67) samo za neke dimenzije (pogledati tabelu 1 strana 68) uz dodatnu naplatu.

#### NOTES:

\* In the case where we have grilles 200X800 we can use the price of 800X200.

\* Secret fixing is possible (See drawing 1 page 67) only for some dimensions (See table 1 page 68) With extra charge.



## E17-D & E17-15<sup>0</sup>-D (RAL)

- Linearna, laki tip, rešetka sa jednim redom nepokretnih lamela . Razmak između lamela je 17mm i lamele su konstruisane za izbacivanje ravno ili pod uglom od 15°.Lamele su paralelne prvoj datoj dimenziji. Ima regulator protoka sa suprotnosmernim lamelama za regulaciju protoka vazduha. Usisna ili odsisna rešetka koja se može postaviti na zid ili na plafon.
- Linear, light type, grille with one row of fixed blades. The blades are 17mm spaced and they are constructed for throw straight or 15° deflected. The blades are parallel to the first mentioned dimension. With opposed blade damper for regulation of air flow. Is used for supply or return air and is installed in walls or ceilings.

### DIMENZIJE OTVORA / HOLE DIMENSION


Visina / Height (mm)

	100	125	150	200	250	300	350	400	450	500	550	600	650	700	750	800	850	900	950	1000	
100	23,89																				
125	23,89	23,89																			
150	23,89	23,89	23,89																		
200	23,89	23,89	23,89	23,89																	
250	23,89	23,89	23,89	25,81	28,33																
300	23,89	24,84	26,71	28,89	31,76	34,93															
350	25,09	27,53	29,56	32,01	35,20	39,32	43,51														
400	27,57	30,22	32,45	35,04	37,85	43,72	48,36	52,89													
450	30,05	32,91	35,31	38,26	41,42	48,11	53,13	58,35	64,03												
500	32,53	35,60	38,17	41,19	45,54	52,51	58,21	63,76	69,76	74,65											
550	35,01	38,28	40,94	44,32	49,11	56,90	62,74	69,13	75,60	80,92	86,88										
600	37,49	40,97	43,88	47,49	52,49	61,24	67,54	74,58	81,52	88,01	99,00	106,80									
650	39,53	43,16	46,03	50,21	56,28	64,36	71,79	78,99	86,79	94,28	106,85	115,70	124,82								
700	41,57	45,35	48,18	52,92	60,08	67,47	76,03	83,39	92,06	100,68	115,07	124,60	134,42	143,46							
750	43,48	47,60	50,87	56,29	64,13	71,91	82,11	90,22	99,38	109,31	123,29	133,50	144,02	153,70	163,96						
800	45,96	50,09	53,77	60,08	69,27	78,43	90,73	97,46	106,25	114,71	131,51	142,40	153,62	163,95	174,89	186,05					
850	47,94	52,59	56,46	63,15	73,21	82,96	95,12	103,85	113,42	123,65	139,73	151,30	163,22	174,20	185,82	197,67	209,53				
900	49,92	55,10	59,15	66,23	77,15	87,50	99,57	110,33	120,58	132,58	147,95	160,19	172,82	184,45	196,75	209,30	221,86	234,41			
950	52,04	58,06	62,27	70,23	81,29	92,24	105,41	116,59	128,24	142,51	156,17	169,09	182,43	194,69	207,68	220,93	234,18	247,43	260,69		
1000	54,16	61,03	65,38	74,22	85,43	96,99	111,25	122,85	135,89	152,44	164,39	177,99	192,03	204,94	218,61	232,56	246,51	260,46	274,41	288,36	

Širina / Width (mm)

CENOVNIK ZA REŠETKE  
OBOJENE RAL BOJOM  
PLASTIFICIRANE

PRICE LIST FOR GRILLES  
PAINTED IN RAL COLOUR  
ELECTROSTATICALLY



#### NAPOMENE:

- \* U slučaju kada imamo rešetku 200x800 uzimamo cenu rešetke 800x200.
- \* Za neke specijalne RAL boje postoji dodatak u ceni. Kontaktirajte nas za detaljnije informacije.
- \* Postoji mogućnost skrivenog montiranja (pogledajte crtež 1 na 67 strani) samo za pojedine dimenzije (videti tabelu 1 na strani 68) uz dodatnu nadoknadu.

#### NOTES:

- \* In the case where we have grilles 200X800 we can use the price of 800X200.
- \* For some special RAL colours there is extra charge. Come in touch with us for more information.
- \* Secret fixing is possible (See drawing 1 page 67) only for some dimensions (See table 1 page 68) with extra charge.