


Maj
2025

Predizolovani paneli i prateća oprema

αLPHA
D U C T S

H BAJONET

H BAYONETTE



Materijal / Material

Pvc

Dužina / Length


4m

Služi za povezivanje spojnih profila.
Smanjuje curenje vazduha na spojevima,
bez dodatne zaptivke.

*Made to join invisible flanges. It reduces air
leakage without gasket.*

"U" PROFIL (20 mm)

"U" PROFILE (20 mm)



Materijal / Material

Aluminijum
Aluminium

Širina / Size

20 mm

Dužina / Length

4m

Za povezivanje kanala sa regulatorima
protoka, antivibracionim spojnica,ma,
protiv-požarnim klapnama, revizionim otvorima

*Made to connect ducts to dampers, anti-vibration
joints, fire dampers, inspection doors, etc.*





PREDIZOLOVANI PANEL

Materijal / Material

Poliuretan + aluminijum
Polyurethane + aluminium

Veličina ploče / Panel size

4.000mm x 1.200mm x20mm / 4,8m²
3.000mm x 1.200mm x20mm / 3,6m²


Oplata / Jacket

Reljefni alu. sloj od 80 mikrona sa obe strane
*Embossed aluminum. layer of 80
microns on both sides*

Gustina / Density

50 (+/- 2) kg/m³

Reljefni alu.
sloj od 80 mikrona



Poliuretanska pena sa aluminijumskom
oblogom na obe strane
*Polyurethane foam with aluminium lining
on both sides*

PROFILI I PRATEĆA OPREMA PROFILES AND ACCESSORIES

PROFIL SPOJNI ALU (20mm)

INVISIBLE FLANGE - ALU (20mm)

Materijal / Material


Aluminijum
Aluminium

Širina / Size

20mm

Dužina / Length

4m




Za čvrsto spajanje kanala ali i sa
mogućnošću rastavljanja, između dva
profila se postavlja PVC bajonet.

*For tight connection of channels but also
with the possibility for disassembly, between
two profiles a PVC bayonet is installed.*

"CHAIR" PROFIL (20 mm)

"CHAIR" PROFILE OF 20mm



Za ugradnju elemenata i uređaja sistema obrade vazduha. Pomoću "U" profila ili samo "CHAIR" profila i pomoću samolepljive trake se priključuje određeni element.

For installation of system elements for air treatment. Using the "U" profile or just "CHAIR" profile and using self-adhesive tape is attached on certain element

Materijal / Material

Aluminijum
Aluminium

Širina / Size


20mm

Dužina / Length

4m

"F" PROFIL (20 mm)

"F" PROFILE (20 mm)



Koristi se za povezivanje sa klima uređajima, protiv-požarnim klapnama. Koristi se uz pocinkovani ugao i sa sundjerastom samolepljivom trakom.

Made to connect the ducts to level surfaces, air units, fire dampers, etc. To complete with zinc coated angles for "F" profile of 20mm self-adhesive gasket.

Materijal / Material

Aluminijum
Aluminium

Širina / Size

20mm

Dužina / Length

4m





ZAŠTITNI UGAO (20 mm)


COVERING ANGLE OF 20mm

Materijal / Material

PVC

Dimenzije / Dimensions

Visina/Širina: 30mm
Dužina: 78mm



Poboljšava estetski izgled
kanala spojenjih spojnim profilom.

*Made to improve the external appearance
in the anfle joints made with
the invisible flange.*

DISKOVI ZA OJAČANJE


REINFORCEMENT DISK

Materijal / Material

Aluminijum
Aluminium

Dijametar / Diameter

96mm



Disk za ojačanje kanala

*Disk made for the reinforcement
profile installation.*

ALUMINIJUMSKE ŠIPKE ZA OJAČANJE

ALUMINIUM REINFORCEMENT BAR



Materijal / Material

Aluminijum / Aluminium

Dijametar / Diameter

14mm

Dužina / Length

4m

UGLIĆ - pocinkovani (20 mm)

GALVANIZED ANGLE OF 20mm



Materijal / Material

Pocinkovani čelični lim
Galvanized steel sheet

Dužina / Length

80mm

Veličina / Size

20mm





ALAT ZA KANALE U KOFERU

TOOLBOX

Pakovanje sadrži / *Packaging contain:*

Levi rezač za panele 45°	1 kom.
Desni rezač za panele 45°	1 kom.
Dupli rezač za panele 45°	1 kom.
Rezač za panele 90°	1 kom.

<i>Left cutter for panels 45°</i>	1 pcs.
<i>Right cutter for panels 45°</i>	1 pcs.
<i>Double cutter for panels 45°</i>	1 pcs.
<i>Single cutter for panels 90°</i>	1 pcs.



Kofer sa osnovnim alatom za kanale

Toolbox with tools for ducts

Pakovanje / *Packaging*

400g tuba/bottle

Boja / *Color*

Bela / White

AKRILNI SILIKON ACRYLIC SEALANT



Akrilni silikon, koristan za
lepljenje i spajanje PVC i ALU profila.

*Acrylic glue, useful for sticking
together PVC and aluminium profiles.*

REZAČ PANELOVA PANEL CUTTER



Nož za sečenje panela od 20 mm. Za sečenje ulevo 45° i nož sa dva sečiva 12,5°.

Cutter for 20mm panels, left 45° and double cutter 12,5°.

Karakteristike / Characteristics

45° LEVI REZAČ SA JEDNIM SEČIVOM 20 mm
45° LEFT SINGLE CUTTER 20 mm

12,5° NOŽ SA DVA SEČIVA 20mm
12,5° DOUBLE CUTTER 20 mm

Pakovanje / Packaging

1 komad / piece

TVRDA ŠPAHTLA STIFF SPATULA



Materijal / Material

PVC

Pakovanje / Packaging

1 komad / piece





RUČNA MAŠINA ZA SAVIJANJE MANUAL BENDING MACHINE

Pakovanje / *Packaging*

1 komad / 1 piece



Manuelna mašina za savijanje panela
Manual machine for panel bending

ŠESTAR COMPASS

Pakovanje / *Packaging*

1 komad / 1 piece



2025

αLPHA

D U C T S



JAK-KA®

www.jakkagroup.com

Bulevar Zorana Đinđića 80,
11070 NOVI BEOGRAD



+381 11 2600 901
+381 11 2600 906



jakkagroup@jakkagroup.com



www.jakkagroup.com

