

2025

VENTILATOR JAVS



JAKKA®

www.jakkagroup.com


Podaci u katalogu su informativnog karaktera. Jakka Group zadržava pravo promene cena i podataka bez prethodne najave. Za više informacija, pre konačne kupovine, kontaktirajte našu prodajnu službu.

JAVS



Ventilator opšte namene, sa širokom primenom, može se koristiti u sistemima za klimatizaciju, ventilaciju, za rashladnu opremu itd.

General purpose fan, can be widely used in purification of air conditioning systems, ventilation duct dust, environmental protection, refrigeration equipment and other fields.



Smer kretanja: A

Pakovanje / Package

1 kom
1 pc

Klasa zaštite motora / Motor ingress protection class

IP54

Klasa izolacije motora / Motor isolation class

F

Radna temperatura / Temperature range

-25 °C / +75°C


Veličine/ Size (mm)

Ø200 - Ø710



TEHNIČKA SPECIFIKACIJA TECHNICAL SPECIFICATION

Model	Napajanje <i>Power Supply</i>	Frekvencija <i>Frequency</i>	Snaga <i>Input Power</i>	Jačina struje <i>Current</i>	Protok vazduha <i>Air Volume</i>	Brzina <i>Speed</i>	Jačina buke <i>Acoustics</i>	Radna temperatura <i>Temperature range</i>	Težina <i>Mass</i>	IP zaštita <i>IP protection</i>	Veličina <i>Size</i>
	(V)	(Hz)	(W)	(A)	(m³/h)	(rpm)	[dB(A)]	(°C)	(kg)		(mm)
JAVS 4M 200B-MP	230	50/60	29/38	0,12/0,17	450/520	1460/1650	48/51	-25/+75	3,1	IP54	φ200
JAVS 4M 250B-MP	230	50/60	50/65	0,22/0,29	1000/1150	1380/1530	50/55	-25/+75	4	IP54	φ250
JAVS 4M 300B-MP	230	50/60	90/115	0,38/0,48	1900/2100	1370/1500	55/60	-25/+65	5,3	IP54	φ300
JAVS 4M 350B-MP	230	50	138	0,68	2900	1370	62	-25/+65	7,3	IP54	φ350
JAVS 4M 400B-MP	230	50	180	0,81	3900	1350	67	-25/+65	9,3	IP54	φ400
JAVS 4M 450B-MP	230	50	250	1,15	5100	1380	70/84	-25/+55	10,3	IP54	φ450
JAVS 4M 500B-MP	230	50	420	1,85	7000	1320	72	-25/+50	15,5	IP54	φ500
JAVS 4M 550B-MP	230	50	550	2,45	8500	1310	74/89	-25/+50	18,5	IP54	φ550
JAVS 4M 630B-MP	230	50	810	3,5	11350	1315	78	-25/+50	24	IP54	φ630
JAVS 6T 710B-MP	400	50	1100/700	2,35/1,2	15800/13500	900/760	73/90	-25/+50	39	IP54	φ710






Smer kretanja: A







TEHNIČKA SPECIFIKACIJA TECHNICAL SPECIFICATION

JAVS 4M 200B-MP



JAVS 4M 250B-MP






Šema povezivanja
je ista za oba modela
ventilatora.








TEHNIČKA SPECIFIKACIJA TECHNICAL SPECIFICATION


JAVS 4M 300B-MP



JAVS 4M 350B-MP




Wiring Diagram



Šema povezivanja
je ista za oba modela
ventilatora.



Technical drawing of a circular fan. The drawing shows a top-down view of the fan with a central square hub and eight curved blades. The outer diameter is 540 mm, and the inner diameter of the hub is 490 mm. The distance from the center to the tip of a blade is 490 mm. The drawing includes a 4-Ø9 hole in the outer ring and a 4-Ø9 hole in the inner ring. The drawing is labeled with '4-Ø9' and '490'.







TEHNIČKA SPECIFIKACIJA TECHNICAL SPECIFICATION


JAVS 4M 500B-MP



JAVS 4M 550B-MP







Wiring Diagram



Šema povezivanja
je ista za oba modela
ventilatora.





TEHNIČKA SPECIFIKACIJA TECHNICAL SPECIFICATION

JAVS 4M 630B-MP



Šema povezivanja za:
JAVS 4M 630B-MP

JAVS 6T 710B-MP



Šema povezivanja za:
JAVS 6T 710B-MP



2025



JAK-KA®

www.jakkagroup.com

**Bulevar Zorana Đinđića 80,
11070 NOVI BEOGRAD**



**+381 11 2600 901
+381 11 2600 906**



jakkagroup@jakkagroup.com



www.jakkagroup.com

