


April
2025

JAKKA NEIZOLOVANA CREVA ALU 3.0 M1




JAKKA®

www.jakkagroup.com

Podaci u katalogu su informativnog karaktera. Jakka Group zadržava pravo promene cena i podataka bez prethodne najave. Za više informacija, pre konačne kupovine, kontaktirajte našu prodajnu službu.

ALU - JAKKA 3.0 M1



Aluminijum + PET
Aluminum + PET

Creva namenjena za sredine niskog i srednjeg pritiska.
Mogućnost razvlačenja, uvrtnja i gužvanja.

*Air ducts intended for medium and low pressure environment.
It has features of being able to be stretches twisted and compressed.*

NAPOMENA/ NOTICE

-Creva ne oslobađaju otrovne gasove prilikom požara.
Kontaktirajte nas za više informacija.

*-Air ducts does not cause poisonous gases release during fire.
Call us for more information.*

Materijal / Material

Al + PET
Al + PET

Opseg temperature / Temperature range

-30 °C / 140 °C

Broj slojeva / No. of layers

3

Brzina strujanja vazduha / Air velocity

Max 30 m/s

Radni pritisak / Operating pressure

2500 Pa

Prečnici u ponudi / Diameter range

Ø 102 mm - Ø 508 mm

Dužina creva / Standard lenght

10 m

Klasa gorivosti / Flame retardant

M1

Creva u kutiji / Air ducts in box

1 kom/pc



2025



JAK-KA®

www.jakkagroup.com

**Bulevar Zorana Đinđića 80,
11070 NOVI BEOGRAD**

+381 11 2600 901

+381 11 2600 906

jakkagroup@jakkagroup.com

www.jakkagroup.com