

APRIL 2025

Cenovnik JRH74 EC




JAKKA®

www.jakkagroup.com

Podaci u katalogu su informativnog karaktera. Jakka Group zadržava pravo promene cena i podataka bez prethodne najave. Za više informacija, pre konačne kupovine, kontaktirajte našu prodajnu službu.

JRH74 EC



Podaci o ventilatorima

Model	Maksimalni protok [m ³ /h]	Napon [V/50Hz]	Snaga [kW]	Jačina struje [A]	Cena sa kontrolerom [€/komadu]
JRH74/400 EC	420	230	0,052 x 2	0,98	Na upit
JRH74/800 EC	840	230	0,12 x 2	1,78	
JRH74/1000 EC	1.075	230	0,17 x 2	2,98	
JRH74/1500 EC	1.600	230	0,385 x2	5,18	
JRH74/2000 EC	2.350	230	0,49 x 2	6,38	
JRH74/2500 EC	3.075	230	0,5 x 2	4,58	
JRH74/3000 EC	3.300	230	0,5 x 2	4,58	
JRH74/4000 EC	3.550	400	1,18 x 2	3,78	
JRH74/5000 EC	4.700	400	1,1 x 2	3,58	
JRH74/6000 EC	6.250	400	3,05 x 2	9,58	

Svi uređaji dolaze sa JAKKA Control Kit 6 kontrolerom i 3 temperaturne sonde koje su neophodne za pravilan rad.

Legenda

JR	H	74	400 ÷ 6000	EC
Jakka rekuperatori	Horizontalna izvedba	Serijski rekuperatori	Modeli (nazivni protok [m ³ /h])	Modeli sa EC motorima





Mogućnosti JAKKA Control Kit 6 kontrolera:

Opcije automatizacije		
Standardno	OA Temperaturni senzor	DA
	RA Temperaturni senzor	DA
	SA Kontrola ventilatora	DA
	RA Kontrola ventilatora	DA
	Informacije zaprljanosti filtera (Vreme)	DA
	Modbus RTU	DA
	Nedeljni tajmer	DA
Opciono	ByPass damper	DA
	On/Off Damper kontrola	DA
	Proporcionalna damper kontrola	NE
	Kontrola protoka vazduha	
	Kontrola vlažnosti vazduha	●
	CO2 Kontrola	
	SA Temperaturni senzor	DA
	On/Off Toplovodni izmenjivač	DA
	Proporcionalno podešavanje toplovodnog izmenjivača	DA
	On/Off izmenjivača za hlađenje	DA
	Proporcionalno podešavanje izmenjivača za hlađenje	DA
	Električni predgrejač	DA
	Električni dogrejač	DA
	BacNET MSTP	NE
	Web pretraživanje (TCP/IP)	NE
	Informacije zaprljanosti filtera (DPS)	DA




● Moguće je izabrati samo jednu od ponuđenih funkcija

* Opcione mogućnosti mogu da variraju u zavisnosti od izabranog rekuperatora

Dodatna oprema

Električni predgrejač/dogrejač


Model	Snaga [kW]	Napajanje [V/50Hz]	Stepena kontrola	Cena [€/komadu]
JRH74/400 EC	2,0	230	1	-
JRH74/800 EC	3,0	230	2	435,00
JRH74/1000 EC	3,0	230	2	435,00
JRH74/1500 EC	4,5	400	2	542,00
JRH74/2000 EC	5,0	400	2	612,00
JRH74/2500 EC	6,0	400	2	623,00
JRH74/3000 EC	8,0	400	2	623,00
JRH74/4000 EC	10,0	400	2	677,00
JRH74/5000 EC	13,0	400	3	723,00
JRH74/6000 EC	18,0	400	3	802,00



Električni grejači (tehničke karakteristike u katalogu) dolaze u kompletu sa svim električnim komponentama neophodnim za povezivanje sa JAKKA Control Kit 6 kontrolerom.

Filteri

Model	Dimenzije DxVxŠ [mm]	Kom po uređaju	Rezervni [€/kom] G4
JRH74/400 EC	297x240x48	2	Na upit
JRH74/800 EC	332x307x48	2	
JRH74/1000 EC	332x307x48	2	
JRH74/1500 EC	408x344x48	2	
JRH74/2000 EC	484x398x48	2	
JRH74/2500 EC	553x398x48	2	
JRH74/3000 EC	575x500x48	2	
JRH74/4000 EC	575x500x48	2	
JRH74/5000 EC	614x605x48	2	
JRH74/6000 EC	614x605x48	2	



Rekuperator toplote se isporučuje sa filterima za svež i korišćen vazduh klase G4.



2025



JAKKA®

www.jakkagroup.com

**Bulevar Zorana Đinđića 80,
11070 NOVI BEOGRAD**



**+381 11 2600 901
+381 11 2600 906**



jakkagroup@jakkagroup.com



www.jakkagroup.com

