

APRIL 2025

Cenovnik JRHB74




JAKKA®

www.jakkagroup.com

Podaci u katalogu su informativnog karaktera. Jakka Group zadržava pravo promene cena i podataka bez prethodne najave. Za više informacija, pre konačne kupovine, kontaktirajte našu prodajnu službu.

JRHB74



Podaci o ventilatorima

Model	Maksimalni protok [m ³ /h]	Model ventilatora	Napon [V/50Hz]	Snaga [kW]	Jačina struje [A]	Cena sa kontrolerom [€/komadu]
JRHB74/400 EC	420	DUNLI EC72-B133	230	0,052 x 2	0,98	1.427,00
JRHB74/800	780	EBM R2E220-RB06-01	230	0,102 x 2	1,08	1.436,00
JRHB74/1000	930	EBM R2E225-RA92-09	230	0,155 x 2	1,54	1.651,00
JRHB74/1500	1.440	EBM R2E280-AE52-05	230	0,324 x 2	3,02	1.874,00
JRHB74/2000	1.800	EBM R2E280-AE52-05	230	0,324 x 2	3,02	2.368,00
JRHB74/2500	2.440	EBM R2E280-RB01-01	230	0,51 x 2	4,68	2.683,00
JRHB74/3000	2.780	EBM R2E280-RB01-01	230	0,51 x 2	4,68	3.136,00
JRHB74/4000	3.500	EBM R4E400-RO09-01	230	0,49 x 2	4,92	3.780,00
JRHB74/5000	4.650	EBM R4E450-FH07-01	230	0,71 x 2	6,58	4.201,00
JRHB74/6000 EC	6.250	EBM EC137-B310-C09	400	3,05 x 2	9,58	5.440,00

Svi uređaji dolaze sa JAKKA Control Kit 6 kontrolerom i 3 temperaturne sonde koje su neophodne za pravilan rad.

Legenda

JR	H	B	74	400 ÷ 6000	EC
Jakka rekuperatori	Horizontalna izvedba	By-pass	Serijski rekuperatori	Modeli (nazivni protok [m ³ /h])	Modeli sa EC motorima





Mogućnosti JAKKA Control Kit 6 kontrolera:

Opcije automatizacije		
Standardno	OA Temperaturni senzor	DA
	RA Temperaturni senzor	DA
	SA Kontrola ventilatora	DA
	RA Kontrola ventilatora	DA
	Informacije zaprljanosti filtera (Vreme)	DA
	Modbus RTU	DA
	Nedeljni tajmer	DA
Opciono	ByPass damper	DA
	On/Off Damper kontrola	DA
	Proporcionalna damper kontrola	NE
	Kontrola protoka vazduha	
	Kontrola vlažnosti vazduha	●
	CO2 Kontrola	
	SA Temperaturni senzor	DA
	On/Off Toplovodni izmenjivač	DA
	Proporcionalno podešavanje toplovodnog izmenjivača	DA
	On/Off izmenjivača za hlađenje	DA
	Proporcionalno podešavanje izmenjivača za hlađenje	DA
	Električni predgrejač	DA
	Električni dogrejač	DA
	BacNET MSTP	NE
	Web pretraživanje (TCP/IP)	NE
	Informacije zaprljanosti filtera (DPS)	DA




● Moguće je izabrati samo jednu od ponuđenih funkcija

* Opcione mogućnosti mogu da variraju u zavisnosti od izabranog rekuperatora

Dodatna oprema

Električni predgrejač/dogrejač


Model	Snaga [kW]	Napajanje [V/50Hz]	Stepena kontrola	Cena [€/komadu]
JRHB74/400 EC	2,0	230	1	-
JRHB74/800	3,0	230	2	435,00
JRHB74/1000	3,0	230	2	435,00
JRHB74/1500	4,5	400	2	542,00
JRHB74/2000	5,0	400	2	612,00
JRHB74/2500	6,0	400	2	623,00
JRHB74/3000	8,0	400	2	623,00
JRHB74/4000	10,0	400	2	677,00
JRHB74/5000	13,0	400	3	723,00
JRHB74/6000 EC	18,0	400	3	802,00



Električni grejači (tehničke karakteristike u katalogu) dolaze u kompletu sa svim električnim komponentama neophodnim za povezivanje sa JAKKA Control Kit 6 kontrolerom.

Filteri

Model	Dimenzije DxVxŠ [mm]	Kom po uređaju	Rezervni [€/kom] G4
JRHB74/400 EC	297x240x48	2	Na upit
JRHB74/800	332x307x48	2	
JRHB74/1000	332x307x48	2	
JRHB74/1500	408x344x48	2	
JRHB74/2000	484x398x48	2	
JRHB74/2500	553x398x48	2	
JRHB74/3000	575x500x48	2	
JRHB74/4000	575x500x48	2	
JRHB74/5000	614x605x48	2	
JRHB74/6000 EC	614x605x48	2	



Rekuperator toplote se isporučuje sa filterima za svež i korišćen vazduh klase G4.



2025



Bulevar Zorana Đinđića 80,
11070 NOVI BEOGRAD 

+381 11 2600 901
+381 11 2600 906 

jakkagroup@jakkagroup.com 

www.jakkagroup.com 